

Work Order ID 68832

Thursday, April 21, 2011 10:55:34 AM



Page 1

Item ID: D3943-051

Accept



Setup Start



Revision ID:

Stop



Item Name: Handle Assembly

Start Date: 4/26/2011 Start Qty: 4.00



Cust Item ID:

Required Date: 5/20/2011 Req'd Qty: 4.00



Customer:

Reference:

Approvals: Process Plan: MF Date: 11-04-21

Tooling:

Date:

Run Start



QC: _____ Date: _____

SPC (Y/N): _____

Date: _____

Stop



Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D3943	C

100 Weld per dwg A/R Steel rod Batch: 119326 0.00

Large Fab

Memo

0.00

Large Fab

Assemble with handle as per dwg

EL 118-1 (4)

110



QC

Quality Control

QC5- Inspect part completeness to step on W/O 0.00

Memo

0.00

8 11/6/12(4)

120



QC

Quality Control

QC9- Inspect visual per QSI004- Fusion Welds 0.00

Memo

0.00

Pl 11-06-01

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 68832

Thursday, April 21, 2011 10:55:34 AM



Page 2

Item ID: D3943-051

Accept



Setup Start



Revision ID:

Stop



Item Name: Handle Assembly

Start Date: 4/26/2011 Start Qty: 4.00



Cust Item ID:

Required Date: 5/20/2011 Req'd Qty: 4.00

Customer:

Reference:

Run Start



Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Stop



QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

130



Powdercoat

Powder Coating

Hybrid safety Yellow 4.3.5.12

0.00

Memo

0.00

1- MASK THREADS PRIOR TO PAINTING AS PER DWG

2- POWDER COAT:

Start Time: _____

Oven Temperature: _____

Finish Time: _____

10:45
400 OF
11:15

4X ~~Ø~~ M 11/06/02

140



QC

Quality Control

QC3- Inspect Part Finish

0.00

Memo

0.00

H BR 11-6-2

150



Packaging

Packaging

Identify as per dwg & Stock Location: W/D

0.00

Memo

0.00

68810

Q 11-6-2 (24)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 68832

Thursday, April 21, 2011 10:55:34 AM



Page 3

Item ID: D3943-051

Accept



Setup Start



Revision ID:

Stop



Item Name: Handle Assembly

Start Date: 4/26/2011 Start Qty: 4.00



Cust Item ID:

Required Date: 5/20/2011 Req'd Qty: 4.00



Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

160

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

4/6/11
MF
11-06-03

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Thursday, April 21, 2011 10:55:29 AM

Page 1

Work Order ID: 68832

Parent Item: D3943-051

Parent Item Name: Handle Assembly



Start Date: 4/26/2011

Required Date: 5/20/2011

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP RevA: add DEO DD 09.11.18 verified by:JLM IPP Rev:B as per
dwg REV.C DD 10.02.22 verified by:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D3943-5 Plate		Manufactured	No			100	Each	3.0000	1	4			
<i>7002641</i>													
						<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>			
						ST095		3					
						55711		3					
D3943-7 Stud		Manufactured	No			100	Each	1.0000	2	8			
<i>700267</i>													
						<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>			
						ST095		1					
						52980		1					



EL 11-6-1



3
EL 11-6-1

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries


ITEM No.	QTY -041	QTY -051	QTY -053	PART NUMBER	DESCRIPTION	PREFERRED SUPPLIER
1	X			D3943-041	GROUND HANDLING CRANK ASSEMBLY	
5	1	X		D3943-051	HANDLE ASSEMBLY	
6	1		X	D3943-053	CHAIN ASSEMBLY	
11		1		D3943-1	HANDLE	M/F HANDLE FROM DIS-ASSEMBLED ITEM 39
12	1			D3943-3	HANDLE EXTENSION	
13		1		D3943-5	PLATE	
14		2		D3943-7	STUD	
15			1	D3943-9	CHAIN	USE CHAIN SUPPLIED WITH ITEM 39
21	1			D2690-4	LANYARD	
22	1			D3585-1	SET SCREW	
23	1			D3949-041	REMOVE BEFORE FLIGHT FLAG	
24			1	D3954-5	CHAIN LUG	
25	1			D3954-7	RATCHET LUG	
26			1	D3954-9	GWT CHAIN PIN	
31	1			AN5-11A	BOLT	
32	1			AN960-516	WASHER	
33	1			MS21042L5	NUT	
39	1			8143919	LEVER CHAIN HOIST (POWER FIST)	PRINCESS AUTO / 4000 lbs CAPACITY
41	1			S-1475	SPRING	REID SUPPLY
42	1			3408A59	BALL PLUNGER	McMASTER CARR
43	1			HX-15	SOCKET HEAD CAP SCREW 1/2-20 UNC X 0.75 LG	HASKINS
44	1			HX-16	SOCKET HEAD CAP SCREW 1/2-20 UNC X 1.0 LG	HASKINS

#68830

RELEASED
2010-10-18
AWP

C	RMV FINISH -041 (ZN A8-2), ADD NEW FINISH -051/-053/-1/-3 (A8-3/-4/-5), ADD CALIBRATION (A8-2), (1) HX-16 WAS HX-15 (B3-1, C3-1), PAR 10-001	CP	10.01.26
B	SHT 1 PL, ITEM 31 WAS AN4-10A, ITEM 32 WAS AN960-416, ITEM 33 WAS MS21042.4, ITEM 43 WAS 0.75 LG. SHEETS 2 - 5 NOTES: FINISH FOR ALL COMPONENTS NOW YELLOW SPRAY PAINT.	AJS	09.10.15
A	NEW ISSUE	AJS	09.05.13
REV.	DESCRIPTION	BY	DATE
DESIGN	DSTOW / AJS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DRAWING NO. D3943 REV. C SHEET 1 OF 5 TITLE GROSS WEIGHT TOW CRANK ASSY NTS COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	
DRAWN	JP		
CHECKED	JP		
MFG. APPR.	JP		
APPROVED	JP		
DE APPR.	N/A		
DATE	10.01.26		

8 7 6 5 4 3 2 1



D3943-041 GROUND HANDLING CRANK ASSEMBLY

NOTES -041:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3943-041" USING FINE POINT PERMANENT INK MARKER
- 7) CALIBRATION TAG PER DART QSI 008 4.4 (ZN C1-2)

DESIGN	DSTOW / AJS	DART AEROSPACE LTD
DRAWN	JP	HAWKESBURY, ONTARIO, CANADA
CHECKED	JP	DRAWING NO. REV. C
MFG. APPR.	JP	D3943 SHEET 2 OF 5
APPROVED	JP	TITLE SCALE
DE APPR.	N/A	GROSS WEIGHT TOW CRANK ASSY NTS
DATE	10.01.26	COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS UNDERSTANDING THAT IT IS NOT TO BE LOANED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

8 7 6 5 4 3 2 1


D3943-1 HANDLE

2 PL

9.75

2.00

0.41

Ø0.31
THRUØ0.12
THRUD3943-7 STUD
2 PLTHREAD 1/2-20 UNC-2B
2 PLTHREAD 1/2-20 UNC-2B
THRUVIEW A-A A5-3
(SCALE 2X) B5-3

2 PL

9.37

A B1-3

A B1-3

D3943-5 PLATE


D3943-051 HANDLE ASSEMBLY

NOTES -051:

- 1) MATERIAL : N/A
- 2) FINISH: POWDER COAT HYBRID SAFETY YELLOW (4.3.5.12) PER DART QSI 005 4.3
- 3) TOLERANCES: X.XX DIMENSIONS +/- 0.06 ALL OTHERS
PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: NONE
- 7) MASK ALL THREADS PRIOR TO POWDER COATING

DESIGN	DSTOW / AJS	DART AEROSPACE LTD	
DRAWN	<i>97</i>	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. C
MFG. APPR.		D3943	SHEET 3 OF 5
APPROVED	<i>1/14</i>	TITLE	SCALE
DE APPR.	N/A	GROSS WEIGHT TOW CRANK ASSY	NT
DATE	10.01.26	COPYRIGHT © 2009 BY DART AEROSPACE LTD	
		THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS UNDERSTANDING THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY MANNER WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

RELEASED
2010-02-10



D3943-053 CHAIN ASSEMBLY

NOTES -053:



- 1) MATERIAL: N/A
- 2) FINISH: POWDER COAT HYBRID SAFETY YELLOW (4.3.5.12) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: N/A
- 8) WELD PER QSI 004
- 9) MASK CHAIN FROM THIS POINT ON PRIOR TO POWDER COATING




DESIGN	DSTOW/AJS	DART AEROSPACE LTD	
DRAWN	97	HAWKESBURY, ONTARIO, CANADA	
CHECKED	97	DRAWING NO.	REV. C
MFG. APPR.	97	D3943	SHEET 4 OF 5
APPROVED	97	TITLE	SCALE
DE APPR.	N/A	GROSS WEIGHT TOW CRANK ASSY	NTS
DATE	10.01.26	COPYRIGHT © 2009 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD			

RELEASED
2010-02-10
WLP


8 7 6 5 4 3 2 1




DETAIL B-B C7-5
(Dimple Detail)
(Scale 2X)



D3943-3 HANDLE EXTENSION



D3943-5 PLATE



D3943-7 STUD
(Scale 2X)

NOTES -11/-13:

- 1) MATERIAL -3 & -5: MILD STEEL, SHEET
AISI 1010-1025 OR ASTM A36/A366/A1008
OR CSA G40-21, 38W/44W/50W/60W/70W
REF DART SPEC M1010-S
- OR: MILD STEEL, BAR
AISI 1010-1025 OR ASTM A36/A366/A569/A570
OR CSA G40-21, 38W/44W/50W/60W/70W
REF DART SPEC M1010-B
- 7: MILD STEEL, ROUND BAR
AISI 1018-1025
PER MIL-S-7097
REF DART SPEC M1018-R

- 2) FINISH -3: POWDER COAT HYBRID SAFETY YELLOW (4.3.5.12) PER DART OSI 005 4.3
-5 & -7: NONE
- 3) TOLERANCES: PER DART OSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE

RELEASED
2010-02-10

DART AEROSPACE LTD		
HAWKESBURY, ONTARIO, CANADA		
DESIGN	DSTOW / AJS	
DRAWN	91	
CHECKED		
MFG. APPR.		
APPROVED		
DE APPR.		
DATE	10.01.26	
DRAWING NO. D3943		REV. C
TITLE		SHEET 5 OF 5
GROSS WEIGHT TOW CRANK ASSY		NTS
COPYRIGHT © 2005 BY DART AEROSPACE LTD		
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD		

